

Draft classification of exotic bird species for record keeping purposes

Purpose

The Exotic Birdkeepers Advisory Group has applied the draft criteria considered at its meeting in September 2006 to the exotic birds on the 2003 Inventory of Exotic (Non-Native) Birds Known to be in Australia. The list below is the result of the exercise. The draft criteria and the draft classification are available for comment until 15 November 2006. The Advisory Group will consider comments received at its next meeting in December 2006.

Proposed classes

The four classes and the proposed record keeping relating to each class is fully described in the summary of the fourth meeting on the Department's website. In summary: Class 1 and 2 are high interest exotic bird species (would require Activity Records and Movement Transaction Records); Class 3 are low interest birds (would only require movement records but no individual identification of specimens); and Class 4 are species requiring no record keeping under the proposal (i.e. exempt).

EBAG's application of the draft criteria

EBAG members assessed each of the criteria below as: a = high risk, b = medium risk, or c = low risk.

1. The degree that a species represents a pest risk to Australia's biodiversity e.g. a potential pest that may adversely affect native animals or habitat
2. The degree that a species represents a disease risk to Australia's biodiversity e.g. species is a potential carrier of a disease that may adversely affect native animals or habitat.
3. The likelihood that a species is the subject of illegal trade, or could be the subject of illegal trade.

The fourth column in the table below indicates the initial assessment by EBAG members. It should be considered as work in progress. Some initial assessments for different species are the same, but that species may have been classified at a higher or lower level after taking account of considerations such as current pest status or potential for a future risk. These species may need more rigorous assessment against the criteria when comments have been considered.

It is proposed to remove hybrids from the list on the basis that they be included at species level and classified at the highest classification of the species involved.

Draft classification of exotic bird species for record keeping purposes

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Acridotheres tristis</i> *	Common Myna	4	1a, 2a, 3c - common pest
<i>Agapornis fischeri</i> *	Fischer's Lovebird	3	1c, 2c, 3c
<i>Agapornis lilianae</i> *	Nyasa Lovebird	3	1c, 2c, 3c
<i>Agapornis nigrigenis</i>	Black-cheeked Lovebird	3	1c, 2c, 3b
<i>Agapornis personata</i> *	Masked Lovebird	3	1c, 2c, 3c
<i>Agapornis roseicollis</i> *	Peach-faced Lovebird	3	1c, 2c, 3c
<i>Aix galericulata</i>	Mandarin Duck	3	1c, 2b, 3b
<i>Aix sponsa</i>	Carolina Wood Duck	3	1c, 2b, 3b
<i>Alauda arvensis</i> *	Common Skylark	3	1b, 2b, 3c
<i>Alectoris chukar</i> *	Chukar Partridge	4	1c, 2c, 3c - commercially farmed
<i>Alisterus amboinensis</i>	Moluccan King-Parrot	1	1c, 2a, 3a
<i>Alopochen aegyptiacus</i> *	Egyptian Goose	4	1c 2b 3c
<i>Amandava amandava amandava</i> *	Red Avadavat	3	1b, 2c, 3b
<i>Amandava amandava punicea</i> *	Red Strawberry Finch	3	1c, 2c, 3b
<i>Amandava formosa</i>	Green Avadavat	3	1c, 2c, 3b
<i>Amandava subflava</i> *	Zebra, Orange-breasted Waxbill	3	1c, 2c, 3c
<i>Amadina erythrocephala</i> *	Red-headed, Aberdeen Finch	3	1c, 2c, 3b
<i>Amadina fasciata</i> *	Cut-throat Finch	3	1c, 2c, 3c
<i>Amazona aestiva</i>	Blue-fronted Amazon/Parrot	2	1c, 2c, 3b
<i>Amazona albifrons</i>	White-fronted Amazon/Parrot	1	1c, 2c, 3a
<i>Amazona amazonica</i>	Orange-winged Amazon/Parrot	1	1c, 2c, 3a
<i>Amazona auropalliata</i>	Yellow-naped Amazon/Parrot	1	1c, 2c, 3a
<i>Amazona autumnalis</i>	Red-lored Amazon	1	1c, 2c, 3a
<i>Amazona finschi</i>	Lilac-crowned Amazon/Parrot	1	1b, 2c, 3a
<i>Amazona leucocephala</i>	Cuban Amazon/Parrot	1	1c, 2c, 3a

Draft classification of exotic bird species for record keeping purposes

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Amazona ochrocephala</i>	Yellow-headed Amazon/Parrot Yellow fronted/crowned Amazon	2	1b, 2c, 3c
<i>Amazona oratrix</i>	Yellow-headed Amazon/Parrot Double Yellow Headed Amazon	1	1c, 2c, 3a
<i>Amazona pretrei</i>	Yellow-faced Amazon/Parrot	1	1c, 2c, 3a
<i>Amazona viridigenalis</i>	Green-cheeked or Red-crowned Amazon	1	1b, 2c, 3a
<i>Amazona xanthops</i>	Yellow-faced Amazon/Parrot	1	1c, 2c, 3a
<i>Anas platyrhynchos</i> *	Mallard and all strains of domestic Duck	4	1b, 2b, 3c
<i>Anodorhynchus hyacinthinus</i>	Hyacinth Macaw	1	1c, 2c, 3a
<i>Anser anser</i> *	Greylag and all domestic strains of geese	4	1c, 2b, 3c
<i>Anser cygnoides</i> *	Chinese goose, Swan Goose	4	1c, 2b, 3c
<i>Apteryx australis</i>	Brown Kiwi	1	1c, 2c, 3a
<i>Ara ambiguus</i>	Great Green Macaw	1	1c, 2c, 3a
<i>Ara ararauna</i>	Blue and Gold Macaw	2	1c, 2c, 3b
<i>Ara ararauna x A. chloropterus</i>	Blue and Gold Macaw x Green-winged Macaw	2	Same as for <i>Ara ararauna</i>
<i>Ara auricollis</i>	Yellow-collared Macaw	1	1b, 2c, 3a
<i>Ara chloropterus</i>	Green-winged Macaw	2	1c, 2c, 3b
<i>Ara macao</i>	Scarlet Macaw	1	1c, 2c, 3a
<i>Ara manilata</i>	Red-bellied Macaw	1	1b, 2c, 3a
<i>Ara maracana</i>	Illeger's Macaw, Blue-winged Macaw	1	1b, 2c, 3a

Draft classification of exotic bird species for record keeping purposes

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Ara militaris</i>	Military Macaw	1	1b, 2c, 3a
<i>Ara nobilis</i>	Hahn's Macaw, Red-shouldered Macaw	2	1b, 2c, 3c
<i>Ara rubrogenys</i>	Red-fronted Macaw	1	1c, 2c, 3a
<i>Ara severus</i>	Chestnut-fronted Macaw, Severe Macaw	1	1b, 2c, 3a
<i>Aratinga acuticaudata</i>	Blue-crowned Parakeet, Sharp-tailed Conure	1	1b, 2c, 3b
<i>Aratinga aurea</i>	Peach-fronted Conure	2	1c, 2c, 3b
<i>Aratinga auricapillus</i>	Golden-capped Parakeet	1	1b, 2c, 3b
<i>Aratinga auricapillus x Aratinga jandaya</i>	Golden-capped Parakeet x Janday Conure	1	Same as for <i>Aratinga auricapillus</i>
<i>Aratinga guarouba</i>	Golden Conure/Parakeet Queen Bavaria Conure	1	1c, 2c, 3b
<i>Aratinga jandaya</i> *	Janday Conure	3	1c, 2c, 3b
<i>Aratinga solstitialis</i> *	Sun Conure	3	1c, 2c, 3b
<i>Aratinga weddellii</i>	Dusky-headed Conure/Parakeet	1	1b, 2c, 3b
<i>Aythya novaeseelandiae</i> *	New Zealand Scaup	3	1c, 2b, 3c
<i>Bolborhynchus lineola</i>	Barred Parakeet	1	1b, 2c, 3a
<i>Branta canadensis</i>	Canada Goose	3	1b, 2b, 3c
<i>Cacatua alba</i>	Umbrella Cockatoo, White Cockatoo	1	1c, 2b, 3a
<i>Cacatua goffini</i>	Goffin's Cockatoo, Tanimbar Cockatoo	1	1c, 2b, 3b
<i>Cacatua moluccensis</i>	Moluccan Cockatoo, Salmon-crested Cockatoo	1	1c, 2c, 3a

Draft classification of exotic bird species for record keeping purposes

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Cacatua sulphurea</i>	Lesser Sulphur Crested Cockatoo, Yellow Crested Cockatoo	1	1b, 2b, 3b
<i>Cairina moschata</i> *	Muscovy duck	4	1c, 2b, 3c
<i>Caloenas nicobarica</i>	Nicobar Pigeon	2	1c, 2c, 3b
<i>Carduelis cannabina</i>	Eurasian Linnet	3	1c, 2c, 3b
<i>Carduelis carduelis</i> *	European Goldfinch, Goldfinch	4	1b, 2c, 3c
<i>Carduelis chloris</i> *	European Greenfinch	3	1b, 2c, 3c
<i>Carduelis cucullata</i>	Red Siskin, Hooded Siskin	3	1c, 2c, 3b
<i>Carduelis flammea</i>	Common Redpoll	3	1b, 2c, 3b
<i>Carduelis magellanica</i> *	Black-headed Yellow Siskin	3	1c, 2c, 3b
<i>Carduelis notata</i>	Black-headed Siskin	3	1c, 2c, 3b
<i>Carduelis sinica</i> *	Oriental Greenfinch	3	1c, 2c, 3b
<i>Carduelis spinoides</i>	Yellow-breasted Greenfinch, Himalayan Greenfinch	3	1c, 2c, 3b
<i>Carduelis spinus</i>	Eurasian Siskin	3	1c, 2c, 3b
<i>Carduelis uropygialis</i>	Yellow-rumped Siskin	3	1c, 2c, 3b
<i>Carpodacus mexicanus</i>	House Finch, Purple Rosefinch, Mexican Rosefinch	3	1b, 2c, 3b
<i>Carpodacus purpureus</i>	Purple Finch	3	1b, 2c, 3b
<i>Chalcopsitta atra</i>	Black Lory	1	1b, 2c, 3a
<i>Chalcopsitta atra x Trichoglossus haematodus</i>	Black Lory x Rainbow Lory	1	Same as for <i>Chalcopsitta atra</i>
<i>Chalcopsitta cardinalis</i>	Cardinal Lory	1	1b, 2c, 3a
<i>Chalcopsitta cardinalis x Trichoglossus haematodus</i>	Cardinal Lory x Rainbow/Coconut Lory	1	Same as for <i>Chalcopsitta cardinalis</i>
<i>Chalcopsitta duivenbodei</i>	Duyvenbode's Lory, Brown Lory	1	1b, 2c, 3a

Draft classification of exotic bird species for record keeping purposes

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Chalcopsitta scintillata</i>	Yellow-streaked Lory	1	1b, 2c, 3a
<i>Charmosyna papou</i>	Papuan Lorikeet, Stella's Lorikeet	1	1b, 2c, 3a
<i>Chrysolophus amherstiae</i> *	Lady Amherst's Pheasant	3	1c, 2c, 3c
<i>Chrysolophus pictus</i> *	Golden Pheasant	3	1c, 2c, 3c
<i>Colinus virginianus</i> *	Northern bobwhite, Bobwhite Quail	3	1b, 2c 3c
<i>Columba livia</i> *	Common Pigeon	4	1b, 2b, 3c – common pest
<i>Columbina talpacoti</i> *	Talpacoti, Ruddy ground Dove	3	1b, 2c, 3c
<i>Copsychus malabaricus</i>	White-rumped Shama	3	1c, 2c, 3b
<i>Copsychus saularis</i>	Oriental Magpie-Robin	3	1b, 2c, 3b
<i>Coryphospingus cucullatus</i>	Red-crested Finch	3	1b, 2c, 3b
<i>Coturnix chinensis</i> *	King quail, Chinese painted Quail	3	1c, 2c, 3c
<i>Coturnix coturnix</i> *	Common Quail	3	1b, 2c, 3c
<i>Coturnix japonica</i> *	Japanese Quail	4	1c, 2c, 3c - commercially farmed
<i>Cyanoliseus patagonus</i>	Patagonian Conure, Burrowing Parakeet	1	1b, 2b, 3b
<i>Cyanoramphus auriceps auriceps</i> *	Yellow-fronted Kakariki	3	1c, 2c, 3c
<i>Cyanoramphus novaezelandiae novaezelandiae</i> *	Red-fronted Kakariki	3	1c, 2c, 3b
<i>Cyanoramphus unicolor</i>	Antipodes Parakeet, Antipodes Green Parakeet	1	1b, 2c, 3b
<i>Cygnus olor</i>	Mute Swan	4	1b, 2b, 3c
<i>Deroytyus accipitrinus</i>	Hawk-headed Parrot, Red-fan Parrot	1	1c, 2c, 3a
<i>Ecleetus roratus</i>	Grand Ecleetus Parrot	2	1b, 2b, 3c
<i>Ecleetus roratus polychloros</i> *	Red-sided Ecleetus Parrot	3	1b, 2b, 3c
<i>Ecleetus roratus solomonensis</i> *	Solomon Island Ecleetus parrot	2	1b, 2b, 3c
<i>Ecleetus roratus Vosmaeri</i>	Vosmaeri Ecleetus	2	1b, 2b, 3c

Draft classification of exotic bird species for record keeping purposes

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Emberiza citrinella</i>	Yellowhammer	3	1b, 2c, 3b
<i>Eos bornea</i>	Red Lory	2	1c, 2c, 3c
<i>Eos cyanogenia</i>	Black-winged Lory	1	1b, 2c, 3a
<i>Eos histrio</i>	Red-and-blue Lory	1	1c, 2c, 3a
<i>Eos reticulata</i>	Blue-streaked Lory	1	1c, 2c, 3a
<i>Eos semilarvata</i>	Blue-eared Lory	1	1c, 2c, 3a
<i>Eos squamata</i>	Violet-necked Lory	1	1c, 2c, 3a
<i>Erythrura cyaneovirens</i>	Red-headed Parrotfinch	3	1c, 2c, 3c
<i>Erythrura hyperythra</i>	Tawny-breasted Parrotfinch, Bamboo Parrotfinch	3	1c, 2c, 3b
<i>Erythrura pealii</i>	Fiji Parrotfinch, Peale's Parrotfinch	3	1c, 2c, 3b
<i>Erythrura prasina</i>	Pin-tailed Parrotfinch	3	1c, 2c, 3b
<i>Erythrura psittacea</i>	Red-throated Parrot finch, Red-faced Parrot finch	3	1c, 2c, 3b
<i>Erythrura trichroa</i> (excluding <i>Erythura sigillifera</i>)	Blue-faced parrot finch	3	1c, 2c, 3c
<i>Erythrura tricolor</i>	Tricolored Parrotfinch	3	1c, 2c, 3c
<i>Erythura trichroa</i> x <i>Erythura tricolor</i>	Blue-faced Parrotfinch x Tricolored Parrotfinch	3	Same as <i>Erythrura tricolor</i>
<i>Estrilda astrild</i> *	St Helena, Common Waxbill	3	1b, 2c, 3c
<i>Estrilda melpoda</i>	Orange-cheeked Waxbill	3	1b, 2c, 3b
<i>Estrilda troglodytes</i>	Black-rumped Waxbill	3	1c, 2c, 3b
<i>Euplectes afer</i>	Yellow-crowned Bishop, Napoleon Weaver	3	1c, 2c, 3b
<i>Euplectes axillaris</i> *	Red-shouldered Whydah, Fan-tailed Widow Bird	3	1c, 2c, 3b

Draft classification of exotic bird species for record keeping purposes

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Euplectes orix franciscana</i> *	Orange bishop Weaver	3	1c, 2c, 3b
<i>Euplectes orix orix</i> *	Red Bishop, Grenadier Weaver	3	1b, 2c, 3c
<i>Euschistospiza dybowskii</i>	Dybowskis Twinspot	3	1c, 2c, 3b
<i>Forpus coelestis</i>	Pacific Parrotlet, Celestial Parrotlet	1	1c, 2c, 3a
<i>Foudia eminentissima</i> *	Red-headed Fody	3	1c, 2c, 3b
<i>Foudia madagascariensis</i> *	Madagascar Fody, Madagascar Weaver	3	1c, 2c, 3c
<i>Fringilla francolinus</i>	Black Francolin	3	1b, 2c, 3b
<i>Fringilla coelebs</i>	Chaffinch	3	1b, 2c, 3b
<i>Gallicolumba jobiensis</i> *	New guinea, White bibbed ground Dove	3	1c, 2c, 3c
<i>Gallicolumba luzonica</i> *	Luzon bleeding heart Pigeon	3	1c, 2c, 3c
<i>Gallus gallus</i> *	Red junglefowl and all strains of domestic Chicken	4	1b, 2c, 3c
<i>Goura victoria</i>	Victoria Crowned-Pigeon	3	1c, 2c, 3b
<i>Hemiphaga novaeseelandiae</i>	New Zealand Pigeon	3	1c, 2c, 3b
<i>Hypargos niveoguttatus</i>	Peters's Twinspot	3	1c, 2c, 3b
<i>Lagonosticta rubricata</i>	African Firefinch	3	1b, 2c, 3b
<i>Lagonosticta senegala</i> *	Red-billed Firefinch	3	1c, 2c, 3c
<i>Leiothrix argentea</i>	Silver-eared Mesia	3	1c, 2c, 3b
<i>Leiothrix lutea</i>	Red-billed Leiothrix, Pekin Robin	3	1c, 2c, 3b
<i>Lonchura bicolor</i>	Rufous backed Munia	3	1c, 2c, 3c
<i>Lonchura cantans</i> *	Silverbill, African Silverbill	3	1c, 2c, 3b
<i>Lonchura domestica</i> *	Bengalese Mannikin	3	1c, 2c, 3c
<i>Lonchura griseicapilla</i>	Grey-headed Silverbill	3	1c, 2c, 3b
<i>Lonchura leucogastroides</i> *	Japanese White-bellied Munia,	3	1c, 2c, 3c

Draft classification of exotic bird species for record keeping purposes

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
	Javan Munia		
<i>Lonchura maja</i> *	White-headed munia, Silver-headed Nun	3	1c, 2c, 3c
<i>Lonchura malabarica</i> *	White-throated silverbill, Indian Silverbill	3	1b, 2c, 3b
<i>Lonchura malacca atricapilla</i> *	Southern black-headed Munia	3	1b, 2c, 3c
<i>Lonchura malacca ferruginosa</i> *	Chestnut Munia	3	1c, 2c, 3b
<i>Lonchura malacca malacca</i> *	Black-headed Munia, Black-headed Nun	3	1c, 2c, 3c
<i>Lonchura punctulata</i> *	Spice Finch, Scaly-breasted Munia	3	1b, 2c, 3c
<i>Lonchura striata</i>	White-rumped Munia	3	1c, 2c, 3c
<i>Lophophorus impejanus</i>	Himalayan Monal,	3	1c, 2c, 3b
<i>Lophortyx californica</i> *	California Quail	3	1b, 2c, 3c
<i>Lophura diardi</i> *	Siamese Pheasant	3	1c, 2c, 3b
<i>Lophura edwardsi</i>	Edwards Pheasant	3	1c, 2c, 3b
<i>Lophura leucomelanos</i> *	Kalij Pheasant	3	1c, 2c, 3c
<i>Lophura nycthemera</i> *	Silver Pheasant	3	1c, 2c, 3c
<i>Lophura swinhoii</i> *	Swinhoe's Pheasant	3	1c, 2c, 3c
<i>Loriculus galgulus</i>	Blue-crowned Hanging-Parrot	1	1c, 2c, 3a
<i>Lorius chlorocercus</i>	Yellow-bibbed Lory	1	1b, 2c, 3b
<i>Lorius domicella</i>	Purple-naped Lory	1	1b, 2c, 3b
<i>Lorius garrulus</i>	Chattering Lory	2	1c, 2c, 3b
<i>Lorius lory</i>	Black-capped Lory	2	1c, 2c, 3b
<i>Mandingoa nitidula</i>	Green-backed Twinspot	3	1c, 2c, 3b
<i>Meleagris gallopavo</i> *	Turkey	4	1b, 2c, 3c
<i>Mitu tuberosa</i>	Razor-billed Curassow	1	1c, 2c, 3a

Draft classification of exotic bird species for record keeping purposes

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Myiopsitta monachus</i> *	Quaker Parrot, Monk parrot	3	1b, 2a, 3a
<i>Nandayus nenday</i> *	Nanday conure	3	1b, 2b, 3c
<i>Neopsittacus musschenbroekii</i>	Yellow-billed Lorikeet, Musschenbroek's Lorikeet	1	1b, 2c, 3a
<i>Nestor notabilis</i>	Kea	1	1c, 2c, 3c
<i>Numida meleagris</i> *	Helmeted guineafowl	4	1b, 2c, 3c
<i>Oena capensis</i> *	Masked dove, Caped, Harelquin, Namaqua dove	3	1b, 2c, 3c
<i>Padda oryzivora</i> *	Java sparrow	3	1c, 2c, 3c
<i>Paroaria coronata</i>	Red-crested Cardinal	3	1c, 2c, 3b
<i>Passer domesticus</i> *	House Sparrow	4	1a, 2c, 3c - common pest
<i>Passer flaveolus</i>	Plain-backed Sparrow	3	1b, 2c, 3b
<i>Passer luteus</i>	Sudan Golden-Sparrow, Golden Song Sparrow	3	1b, 2c, 3b
<i>Passer montanus</i> *	Eurasian tree Sparrow	4	1b, 2c, 3c
<i>Pavo cristatus</i> *	Indian Peafowl	4	1b, 2c, 3c
<i>Pavo muticus</i> *	Green Peafowl	4	1c, 2c, 3c
<i>Phasianus colchicus</i> *	Common Pheasant	4	1b, 2c, 3c
<i>Phigys solitarius</i>	Collared Lory	1	1b, 2c, 3a
<i>Phoenicopterus chilensis</i>	Chilean Flamingo	1	1c, 2b, 3a
<i>Phoenicopterus ruber</i>	Greater Flamingo	1	1b, 2b, 3a
<i>Pionites leucogaster</i>	White-bellied Caique/Parrot	1	1c, 2c, 3a
<i>Pionites melanocephala</i>	Black-headed Caique/Parrot	2	1c, 2c, 3b
<i>Pionus chalcopterus</i>	Bronze-winged Parrot	1	1b, 2c, 3a
<i>Pionus senilis</i>	White-crowned Parrot, White-capped Parrot	1	1b, 2c, 3a

Draft classification of exotic bird species for record keeping purposes

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Poicephalus gulielmi</i>	Jardine's Parrot, Red-fronted Parrot	1	1b, 2c, 3a
<i>Poicephalus meyeri</i>	Meyers Parrot	1	1c, 2c, 3a
<i>Poicephalus robustus</i>	Brown-necked Parrot, Cape Parrot	1	1b, 2c, 3a
<i>Poicephalus rufiventris</i>	Red-bellied Parrot	1	1b, 2c, 3a
<i>Poicephalus senegalus</i>	Senegal Parrot	2	1c, 2c, 3b
<i>Prosopieia personata</i>	Masked Shining-Parrot	1	1b, 2c, 3c
<i>Prosopieia tabuensis</i>	Red Shining-Parrot	1	1b, 2c, 3c
<i>Pseudeos fuscata</i>	Dusky Lory	2	1c, 2c, 3b
<i>Psittacula alexandri</i>	Moustached Parrot, Red-breasted Parakeet	3	1c, 2c, 3c
<i>Psittacula columboides</i>	Malabar Parakeet	3	1c, 2c, 3c
<i>Psittacula cyanocephala</i> *	Plum-headed Parrot	3	1b, 2c, 3c
<i>Psittacula derbiana</i>	Derbyan Parakeet	3	1c, 2c, 3b
<i>Psittacula eupatria</i> *	Alexandrine Parrot	3	1b, 2c, 3c
<i>Psittacula himalayana</i> *	Slaty-headed Parrot	3	1c, 2c, 3c
<i>Psittacula krameri</i> *	Indian ring-necked Parrot	3	1b, 2c, 3c (higher risk rating for mutations)
<i>Psittacula roseata</i>	Blossom-headed Parakeet	3	1c, 2c, 3a
<i>Psittacus erithacus</i>	African Grey Parrot	2	1c, 2c, 3a
<i>Psitteuteles goldiei</i>	Goldies Lorikeet	1	1c, 2c, 3a
<i>Pycnonotus jocosus</i> *	Red-whiskered Bulbul	4	1b, 2c, 3c - common pest
<i>Pyrrhura cruentata</i>	Blue-throated Conure	2	1b, 2c, 3b
<i>Pyrrhura egregia</i>	Fiery-shouldered Parakeet	1	1b, 2c, 3a
<i>Pyrrhura frontalis</i>	Maroon-bellied Conure	3	1c, 2c, 3b
<i>Pyrrhura leucotis</i>	White-eared Conure/Parakeet	1	1c, 2c, 3a
<i>Pyrrhura melanura</i>	Maroon-tailed Conure, Black-tailed Conure	2	1c, 2c, 3b

Draft classification of exotic bird species for record keeping purposes

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Pyrrhura molinae</i>	Green-cheeked Conure/Parakeet, Molina's Conure	3	1b, 2c, 3c (higher risk rating for mutations)
<i>Pyrrhura perlata</i>	Pearly Conure/Parakeet,	2	1c, 2c, 3a
<i>Pyrrhura picta</i>	Painted Conure/Parakeet	2	1c, 2c, 3a
<i>Pyrrhura rhodogaster</i>	Crimson-bellied Conure/Parakeet	2	1c, 2c, 3a
<i>Pyrrhura rupicola</i>	Black-capped Parakeet	1	1b, 2c, 3a
<i>Pytilia hypogrammica</i> *	Yellow-winged Pytilia, Aurora	3	1c, 2c, 3b
<i>Pytilia hypogrammica lopezi</i> *	Red-faced Aurora, Red-faced Pytilia	3	1c, 2c, 3b
<i>Pytilia melba</i> *	Green-winged Pytilia, Melba finch, Melba Waxbill	3	1c, 2c, 3b
<i>Pytilia phoenicoptera</i> *	Red-winged Pytilia, Aurora	3	1c, 2c, 3b
<i>Rhea americana</i>	Greater Rhea	1	1c, 2c, 3a
<i>Rhynchopsitta pachyrhyncha</i>	Thick-billed Parrot	1	1b, 2c, 3b
<i>Serinus atrogularis</i>	Southern Yellow-rumped Seedeater	3	1c, 2c, 3b
<i>Serinus canaria</i> *	Canary	4	1c, 2c, 3c
<i>Serinus dorsostriatus</i>	White-bellied Canary	3	1c, 2c, 3b
<i>Serinus dorsostriatus x Serinus xanthopygius</i>	White-bellied Canary x Abyssinian Yellow rumped	3	Same as <i>Serinus dorsostriatus</i>
<i>Serinus flaviventris</i> *	Yellow Canary, St Helena Seedeater	3	1c, 2c, 3b
<i>Serinus leucopygius</i> *	White rumped Seedeater, Grey Singing Finch	3	1c, 2c, 3b
<i>Serinus mozambicus</i> *	Yellow-fronted canary, Green Singing Finch	3	1c, 2c, 3c
<i>Serinus serinus</i>	European Serin	3	1c, 2c, 3b
<i>Serinus xanthopygius</i>	Abyssinian Yellow-rumped Seedeater	3	1c, 2c, 3b

Draft classification of exotic bird species for record keeping purposes

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Sicalis flaveola</i>	Saffron Finch, Pelzeln's Saffron Finch	3	1c, 2c, 3b
<i>Streptopelia chinensis</i> *	Spotted Dove	3	1a, 2c, 3c - common pest
<i>Streptopelia risoria</i> *	Ringed turtle dove, Barbary dove	4	1a, 2c, 3c - common
<i>Streptopelia senegalensis</i> *	Laughing, Senegal Dove	3	1b, 2c, 3c
<i>Streptopelia tranquebarica</i>	Red Collared-Dove	3	1c, 2c, 3c
<i>Struthio camelus</i> *	Ostrich	4	1b, 2c, 3c - commercial use
<i>Sturnus vulgaris</i> *	Common Starling	4	1b, 2c, 3c - common pest
<i>Syrnaticus reevesii</i> *	Reeves's Pheasant	3	1c, 2c, 3c
<i>Tadorna ferruginea</i>	Ruddy Shelduck	3	1c, 2b, 3c
<i>Tadorna variegata</i> *	Paradise shelduck	3	1c, 2b, 3c
<i>Tiaris canora</i> *	Cuban Grassquit	3	1c, 2c, 3c
<i>Trichoglossus euteles</i>	Olive-headed Lorikeet, Perfect Lorikeet	2	1b, 2a, 3a
<i>Trichoglossus haematodus</i>	Rainbow/Coconut Lory	1	1a, 2a, 3a
<i>Trichoglossus johnstoniae</i>	Mt Apo Lorikeet, Mindanao Lorikeet	1	1a, 2a, 3a
<i>Trichoglossus ornatus</i>	Ornate Lorikeet	1	1a, 2a, 3a
<i>Turdus merula</i> *	Eurasian Blackbird	4	1a, 2c, 3c - common pest
<i>Turdus philomelos</i> *	Song Thrush	3	1b, 2c, 3b
<i>Uraeginthus angolensis</i> *	Blue-breasted Cordonbleu	3	1c, 2c, 3b
<i>Uraeginthus bengalus</i> *	Red-cheeked Cordonbleu	3	1c, 2c, 3c
<i>Uraeginthus cyanocephala</i> *	Blue-capped Cordonbleu	3	1c, 2c, 3b
<i>Uraeginthus granatina</i>	Common Grenadier, Violet-eared Waxbill	3	1c, 2c, 3b
<i>Uraeginthus ianthinogaster</i>	Purple Grenadier	3	1c, 2c, 3b

Draft classification of exotic bird species for record keeping purposes

SPECIES/TAXON * denotes species did not require registration under NEBRS.	COMMON NAMES	EBAG PROPOSED CLASSIFICATION FOR COMMENT	EBAG's INTITIAL ASSESSMENT AGAINST THE DRAFT CRITERIA
<i>Vidua macroura</i> *	Pin tailed Whydah	3	1b, 2c, 3b
<i>Volatinia jacarina</i> *	Jacarina, Blue-black Grassquit	3	1c, 2c, 3c
<i>Vultur gryphus</i>	Andean Condor	1	1c, 2c, 3a

DRAFT